

Certificate Of Analysis



Client:
Dialed Research

Laboratory:

Liquilabs s.r.o.
Ohradní 24B
14000 Michle
Czechia
www.liquilabs.cz

Accredited Testing Laboratory
ISO/IEC 17025:2017
ČIA Reg. No. 1437

Sample Identification

Sample Name	Wolverine Blend 10mg	Batch Number	774620	Date Published	2026-08-03 10:18
--------------------	----------------------	---------------------	--------	-----------------------	------------------

Results for BPC-157 5 mg + TB-500 5 mg

Analysis of Peptide Identity, Content and Purity	Result Unit	Reporting Uncertainty Limit
BPC-157 Assay	5.32 mg	[± 0.06]
BPC-157 Identification by RT	0.998	[± 0.004]
BPC-157 Identification by spectrum	997	[± 10]
BPC-157 Purity	99.184 %	[± 0.18]
TB-500 Assay	5.18 mg	[± 0.06]
TB-500 Identification by RT	0.999	[± 0.004]
TB-500 Identification by spectrum	996	[± 12]
TB-500 Purity	99.312 %	[± 0.20]

Responsibles

A handwritten signature in black ink, appearing to read 'Galbavy', is positioned above the printed name.

Mr. Ján Galbavý
Founder/Manager

Analysis results relate only to the samples tested.
This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.