

Certificate Of Analysis



Client:
Dialed Research

Laboratory:

Liquilabs s.r.o.
Ohradní 24B
14000 Michle
Czechia
www.liquilabs.cz

Accredited Testing Laboratory
ISO/IEC 17025:2017
ČIA Reg. No. 1437

Sample Identification

Sample Name	IGF-1 LR3 1mg	Batch Number	688813	Date Published	2026-07-22 09:28
--------------------	---------------	---------------------	--------	-----------------------	------------------

Results for IGF-1 LR3 1 mg

Analysis of Peptide Identity, Content and Purity	Result Unit	Reporting Uncertainty Limit
IGF-1 LR3 Assay Peptide Screening	1.08 mg	[± 0.03]
IGF-1 LR3 Identification by RT Peptide Screening	0.997	[± 0.005]
IGF-1 LR3 Identification by spectrum Peptide Screening	994	[± 15]
IGF-1 LR3 Purity Peptide Screening	99.421 %	[± 0.20]

Responsibles

A handwritten signature in black ink, appearing to read 'Galbavy', is written over a light blue horizontal line.

Mr. Ján Galbavý
Founder/Manager

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.